AMERICAN POTATO JOURNAL SUBJECT AND AUTHOR INDEX VOLUME 67, 1990

Subject Index

Aerobic bioaugumentation, 556
Aeroponics, 179
Agriculture Canada Color Standards, 636
Aircraft application of fungicides, 385–388
Analysis
  enzyme extraction, 255
  infrared method for CO_2, 123
  H.P.L.C., 234
  RNA isolation, 256
Amylolytic activity in tubers, 849, 850
Anhydrabiosis, 349
Anhydrabiolic J-2, 349, 355
Antimicrobial agent, 705, 707, 708
Anti-transpirant, 517
Antiviral therapy, 575
Anthrone colorimetric method, 84
Apical cutting production in tropics, 189–197
Apical dominance, 529, 751, 816
Apical seedpieces, 751, 755–759, 761–768
ASDPC indices, 427–440
Assimilated partitioning, 163, 164, 166, 171, 172
AUDPC (area under disease progress curve), 278–285
AUDPC values, 751, 755–759, 761, 768
Bacteria
  Agrobacterium tumefaciens, 546, 559, 825
  Bacillus thuringiensis, 561
  Bacterial extracts, 538
  Bacterial ring rot resistance, 559
  Bacterial ring rot symptoms, 690
  Clavibacter michiganense subsp sepedonicum, 444, 538, 625
  Corynebacterium sepedonicum strain CS3, 687
  Corynebacterium sepedonicum strain R8, 687
  Corynebacterium sepedonicum, 6, 17, 160, 443–456, 564, 625, 626, 628, 685–693
  Erwinia carotovora, subsp *atroseptica*, 15, 287, 888, 290, 292–294
  Erwinia carotovora, subsp *carotovora*, 415, 259, 282
  Erwinia species, 67, 553, 583, 780
  Pseudomonas fluorescens-putida, 21
  Pseudomonas solanacerum, 20, 93–98, 100–104
  Pseudomonas syringae, 21
  Streptomyces scabies, 4, 18, 20, 373
Basal seedpieces, 751, 753, 755–757, 761–768
Biocontrol of verticillium wilt, 537
Biological control of tuber moth, 574
Biomass accumulation, 163–166, 169
Biomass allocation, 568
Biomass production chamber, 179
Bio-Tek plate reader model FL, 309, 593
Biotic interactions, 13, 14
Blackspot, 45, 253, 254, 260–262
Blackspot index, 48
Blackspot susceptibility, 49
Blind seedpieces, 757
Blitecase, 279, 420
Bruise indication, 255
Breeding
  2n gametes, 737, 742
  2x hybrids, 405
  Breaking dormancy of TPA, 395
  Breeding for chipping stability, 644
  Chromosomal abberations, 77
  Diploid potatoes, 73, 74
  Doubled monoploids, 566
  Effect of genotype on seedling vigor, 109, 114
  Endosperm balance number (EBN), 406, 407, 413, 416, 738, 742, 743
  Endosperm development, 737
  First division restitution (FDR), 407, 413, 415
  General combining ability (GCA), 408
  Genetic components of chip color, 633, 642–644
  Germplasm: V. wilt resistance, 514, 518, 520, 521
  Senotypes, 165
  Hybrid TPA, 500
  Haploids, 405, 492, 497
  Hexaploids hybrids, 741–743
  Interspecific hybridization, 73, 75, 77–79

Introgression, 74
Isozymes in diploid potatoes, 573
Male fertility, 394, 501, 503, 504
Maturity ratings 4xX4x crosses, 410
Neo-tuberosum germplasm, 573
Open pollination, 499, 501, 504
Open pollinated TPS, 393–395, 499–501
Pentaploid potatoes, 80, 746
Pollen fertility, 499
Pollination, 75, 78, 394, 405
Pollen size of *S. acoule* introductions, 740
Polymorphic tetraploid, 80
R-genes, 492, 494, 497
Seeds per fruit from 4xX2x combinations, 413
Sexual polyploidization, 738, 739, 744
Somatic hybrids, 568
Stainable pollen for clones, 502, 503
Tetraploids, 405, 492, 497
Tetrad sterility, 504
TPS crosses, 111
True potato seed size effect on yield, 393–394
True potato seed, 393, 394, 406, 407, 416, 499, 500–509
Yield of 4xX4x and 4xX2 family lines, 412, 413, 417
Zygotic embryo, 595
Zymograms, 76
^{14}C—assimilate, 165, 169, 173
^{14}C—labeling, 166, 170
Calcium relation to common scab, 560
Calcium relation to internal defects, 577
Calcium relation to specific gravity, 577
Callus induction, 572
Calvin cycle, 358
CELSS, 177, 178
Carbohydrate metabolism, 813, 815
Carbohydrate metabolism in developing plants, 835
Carbohydrate oxidation, 841
Carbon flow process in plants, 829, 830
Carbon partitioning in plants, 829, 850
Chemicals
Acetocarmine glycerol, 501
Activated charcoal, 267
Ammonium sulfate, 233, 234
Borate buffer, 255
Bromethane, 133–135
Chlorochaline chloride, 509
CIPC, 705, 709, 713–715
Copper sulfate, 84
Dormancy release chemicals, 133–135
Ethanol, 463
Ethyl mercury bromide, 605
Formaldehyde, 189
KNO_3, 109, 111
K_3PO_4, 109–111
Maleic hydrazide, 705, 709, 713–714
Magnesium chloride, 256
Manganese chloride, 266
Mercaptoethanol, 255
NaCl, 85
NaOH, 85
Nitric acid, 177
Phosphate buffer, 100
Phosphoenal pyruvate, 255
Picloram, 212–214
Rindite, 133–135
Senomolybidate reagent, 84
Silicon quaternary ammonium salt, 705, 707, 708
Silver thiosulphate, 447, 454–456
Sodium hypochorite, 292, 705, 707
Sodium meta-bisulfite, 255
Sodium thiosulphate, 447
Triton CF-54, 233, 235
Triton X-100, 233, 235
Trytophan, 255
UC86177, 577
Validamycine, 605
Chemical versus mechanical vine-killing, 861–862
Chemical vine desiccation, 859
Chemigation equipment, 585
Chip Color, 121–124, 128, 129, 131, 157, 158
Chipping cultivar (new), 153, 227, 239
Chlorophyll flurescence parameters, 357–363, 366, 367
Classification of cultivars for physiological ageing, 610, 611
CO_2 concentration in storages, 121–127, 131
CO_2 effect on blackspot, 46, 47
Consumer acceptance model, 721, 722
Consumer purchasing behavior, 719
Consumer satisfaction, 719, 725
Co-segregation, 573
Conviron PGV 36 growth chamber, 359
Crop growth rate, 674
Crop management symposium, 1
Crop modeling, 669, 670
Cryovac D-955 shrink film, 705, 707, 709
Cull potato grinding, 245–247
Cultivar differences, 527
Cultivar maturity on resistance to early blight, 616, 620, 622

Cultivar rank for late blight susceptibility, 432–438
Cultivar response to irrigation, 772
Cultivar response to subsoiling, 772
Cultivar selection for growing conditions, 530
Cultivar tolerance to herbicides, 530
Curing seed tubers, 757, 758
Cut seed economics, 768
Dark respiration, 357, 358, 368
Deficit irrigation, 33, 34
Defoliation, 568
DNA clones, 255, 258
Desiccants
  C4243, 566
  Diquat, 566
  Endothol, 566
Detection of viruses S and Y, 538
Developmental stages of potato growth, 31, 32
  I. Vegetative, 32
  II. Tuber initiation, 33
  III. Tuber bulking, 33
  IV. Maturation, 36
Diseases
  Bacterial ring rot, 443–456, 548, 549, 564, 625
  Bacterial wilt, 586
  Early blight, 419, 420, 563, 587, 615, 616, 618, 620
  Hollow heart, 695
  Late blight, 419, 420
  Silver Scurf, 565, 706
Disease development, 3
Disease index, 495, 496
Disease progress curves, 280–285
Disease severity ratings, 449, 451, 453–455
Diversity of CO_2 in tubers, 537
Dormancy, 751, 761
Dry matter content, 123, 124, 128, 129
Dynatech minireader MR 590, 593
Early seed export, 133
Effect of nutrition on verticillium wilt, 61–64
Effect of soil and environmental conditions
  on emergence, 673
  on dry matter content, 675
  on tuber initiation, 673
  on yields, 673
Effect of soil fertility on bruise susceptibility, 50
Effect of spray schedules on early blight development, 285
Electrofusion, 568
Electrophoretic patterns, 373
ELISA, 575, 589–601, 688, 866
ELISA test procedure, 593
Encysted J2, 349–355
Enzymes
  Chalcone synthesis, 254
  Chitinase, 254
  Chorismate mutose, 253, 258
  DAHP, 253, 256
  Glucosephosphate isomerase, 618
  Maleic dehydrogenase, 618
  PAL, 253–255, 258–261
  Pectolytic enzymes, 291, 294, 295
  Phosphatase, 618
  Polyphenol oxidase, 253–255, 260, 262
  Tyrosine ammonia-lyase, 253, 255, 258
  Ubiquitin, 254, 255, 258, 261, 262
Enzyme activity, 253, 257, 262
Enzyme starch phosporylase, 581
Enzymes of sugar metabolism, 838
Ethylene production, 449, 450, 453, 456, 457
Evopotranspiration, 9, 31, 769
Ex vitro produced plants, 508
Fertilization, 445
  Effect of micronutrient rate and source on concentrations in shoots and leaves, 223, 224
  Effect of micronutrient rate and source on yield, 220, 222, 224
  Effect of phosphorus source on nutrient concentration in shoots and leaves, 221
  Fertilizer placement, 220
  Fertilizer practices for control of verticillium wilt, 55, 56
  Nitrogen fertilization, 543, 551, 556
  Nitrogen management, 572
  Nitrogen requirement, 542
  Nitrogen split applications, 29, 39
  Nitrogen stress symptoms, 30, 31
  Nitrogen uptake by growth stages, 34
  Nitrogen uptake efficiency, 556, 585
Fertilizer materials
  Ammonium nitrate, 220, 584
  KCl, 220
  K_2SO_4, 220
  DAP, 217–222
  Micronutrient chelates, 217
  Micronutrient sources, 219
  Monosodium phosphate, 218
  Ortho-P, 217, 219–222
  Poly-P liquid, 217–222
  Triple superphosphate, 217–222
Field management of cultivars, 530
Field test for physiological ageing, 606–608

Film wrapping potatoes, 576, 705–717
Floating row covers, 565
Fluctuating temperatures and ring rot pathogen survival, 629
Flurorometer model SF-20, 360
Freezing temperatures and survival of ring rot pathogens, 630
Fumigants
  Busan, 583
  Calcium hypochlorite, 583
  Chloropicrin, 58
  Dazomet, 583
  Ditrapex, 583
  Metham-sodium, 58
  Methyl bromide, 583
  Telone-C, 60
Fungi
  Alternaria solani, 5, 67, 153, 159, 278, 279, 386, 420–421, 424, 540, 587, 615, 621
  Colletotrichum atramentarium, 17
  Colletotrichum coccodes, 6, 8
  Colletotrichum phomodes, 5, 7
  Cryphonectria parasitica, 190, 191
  Erysiphi cichoracearum, 385–387, 391
  Erysiphi polygoni, 386
  Fusarium caeraleum, 18, 159
  Fusarium oxysporium, 18, 19
  Fusarium roseum var. *avenaleum*, 17
  Fusarium roseum var. *sambucinum*, 18, 159
  Fusarium sambucinum, 133, 134
  Fusarium solani, 18, 159
  Fusarium spp., 19, 583
  Fusarium sulfureum, 18
  Gliocladium roseum, 557
  Helminthosporium solani, 565, 574, 612, 706, 708, 710
  Macrophomina phaseolina, 583
  Oospora pustulans, 20
  Pythium butleri, 18
  Pythium spp., 583
  Phytophthora erythroseptica, 4
  Phytophthora infestans, 4, 5, 7, 17, 153, 159, 278, 420, 427, 491–494, 496, 497, 545, 860
  Rhizoctonia solani, 8, 190, 191, 560, 582, 583, 612
  Rhizoctonia solani AG-3 isolates, 189, 191–198
  Rhizoctonia solani AG-4 isolates, 583
  Sclerotinia sclerotiorum, 6, 7
  Spongospora subterranea, 4, 15, 554
  Synchytrium endobioticum, 15
  Thanatephorus cucumeris, 190
  Verticillium albo-atrum, 18, 55, 58, 160, 551, 552
  Verticillium dahliae, 8, 17, 19–21, 55–64, 160, 517, 518, 524, 551, 552, 555, 557
Fungicide dynamics
  Fungicide effects, 227–285
  Host resistance, 227–285
  Weather effects, 227–285
Fungicides
  Benzemidazole fungicides, 574
  Chlorothalonic, 279, 282
  Captan, 575
  Deltamethrine dust, 574
  Imazalie, 575
  Iprodione, 575
  Liquid sulfur, 385, 387–390
  Mancozeb, 419
  Maneb, 220
  Pentachloronitrobenzine (PCNB), 192
  Sulfur dust, 386–390
  Thiabendazole, 563, 575, 705, 707, 708
  Thiophanate-methyl, 575
Gas chromatography, 446
Gene expression, 253, 258
Genetic variables, 669–671, 680
Gluconeogenesis, 852
Gluconeogenic reactions, 851
Glycoalkaloids, 157, 231, 234, 243, 461–465, 520, 577
  Aglycone solanidine, 234
  Chaconine, 462, 463
  OC-chaconine, 234–237
  OC-demissine, 465
  OC-solanine, 233–237
  OC-tomatine, 465
  Rhamnosidase, 233–236
  Solanidine, 462, 463, 465
  Solanidine glycocides, 461, 464
  Solanocardinine, 577
Glycolysis restriction, 851
Glycosidic linkages, 234
Granulosis virus, 574
Green sprouting, 529
Grolux fluorescent lamps, 575
Growing degree days, 476
Growth analysis, 669
Growth Regulators
  Abscisic acid, 443, 445, 447, 456
  AC-243, 571, 654
  Antitranspirants, 267, 269
  Auxins, 270
  C.I.P.C., 121, 122, 125–127, 578, 705, 709,

713–715
Cytokinins, 270
Ethephon, 447, 449, 453, 456
Ethylene, 443, 444, 448, 449, 453, 456
Gibberellic acid, 109, 111, 395, 493, 564, 572, 592
Indole acetic acid, 444, 447
Maleic hydrazide, 705, 709, 713, 714
Napthalene acetic acid, 572
Poclobutrazol, 368
Piclorum, 567
Plant hormones, 443, 444, 456, 457
Rhendite, 529
Rooting hormones, 267, 269
UC-86177, 577
Gross returns from using different portions of seed tubers, 767, 768
Growth vigor of cultivars, 604, 606
Handling true potato seed, 570
Hassia harvester, 802
Heat shock proteins, 253–255, 258, 261, 262
Heat tolerance, 357–359, 582
Herbicides
Dicamba, 576
Diquat, 860
Dual, 421, 772
Eptam, 420
Metribuzin, 429, 772
Sencor, 421, 530, 753
High density seed beds, 779
Hobart slicer, 123
Hollow heart expressions by 9 families, 697
Hollow heart resistance, 695
Hormonal starch breakdown, 820
Horsfall and Barrett rating system, 462
Hydraulic press estimates of leaf water potentials, 304, 310
Hydroponics, 177
ICNB, 21
Immunofluorescence, 665, 688, 689
Indexing cultivars for physiological ageing, 604
Infectivity of ring rot bacteria, 628
Influence of harvester operation on tuber bruising, 52, 53
Influence of irrigation on:
quality, 29
tuber bruising, 45, 50
yield, 29
Influence of nitrogen management on:
quality, 29
tuber bruising, 49–52
yields, 29
Influence of soil physical conditions and moisture on tuber bruising, 52, 53
Insecticides
Aldicarb, 563, 591
Ambush, 420, 421, 429
Carbaryl, 220, 462
Disyston, 617
Guthion, 420
Monitor, 563
Piperonyl butoxide, 591, 593
Pydrin, 421
Pyrethrin, 591
Temik, 95, 420, 563
Thiodan, 429
Vydate, 420
Insects
Arthropods, 16, 22
Bumblebees, 499–504
Coccinella septemysuncata, 866
Coccinellids, 866
Colorado potato beetle, 19, 545, 554, 561, 564, 571, 577, 591
Diptera, 15
Empoasca fabae, 21, 461–465, 591
Green peach aphid, 590, 591, 597, 865
Heterodera schachtii, 105
Leafhopper, 15, 461, 491
Leptinotarsa decemlineata, 19, 554, 581
Lonchopria spp., 79
Macrosiphum euphorbiae, 543
Myzus persicae, 543, 590, 865
Phthorimaea operculella, 549, 583
Potato tuber month, 574, 584
Thygater melanotricha, 79
Viruliferous aphids, 589–591
Integrated crop management, 1
Irradiance, 163
Irrigation, 29–31
Irrigation regimes on tuber yields, 773
Isozymes, 73, 75, 560
Isozyme analysis, 552, 560
Isozymes in diploid potatoes, 573
Jensen evapotranspiration model, 541
Laboratory test for physiological ageing, 603, 606, 608
Late blight resistance, 461–463
Leaf area index, 33
Leaf growth rate, 674, 675
Leafhopper resistance, 461–463
Leaf water relations, 307–311
Li-Cor LI-3100 leaf area meter, 360

Li-Cor LI-1905 quantum sensor, 360
Li-Cor radiometer, 445
Light regimes, 163–166, 168, 169
Lineweaver-Burke reciprocal plots, 233, 236
Luteovirus, 589
Magenta GA-7 vessels, 359
Maintenance respiration, 358, 368
Management practices for control of verticillium wilt, 55, 56
Mandatory seed law survey, 552
Maturity ratings, 619
Mechanical vine pulling, 859
Media
  Arnon solution, 353
  Dextrose yeast extract agar, 191
  Fison's Blend #1 sunshine mix, 445, 447, 448
  Folin-Wu colorimetric procedure, 209–212, 508, 509
  Hoagland's solution, 96, 353
  Jiffy mix plus, 493
  Knap's media, 789
  Lima bean agar, 708
  Metro mix, 192
  Murashige-Skoog medium, 209–212, 503, 509
  Nova mix, 200, 359
  Peat Lite mix, 359
  Potato nodal cutting media, 359
  Rye A agar, 493
Metribuzin sensitivity, 231
Microclimate, 5
Micronutrient levels, 181
Micropropagated potato plants, 507, 508
Micro-tubers, 507, 508
Mini-tubers, 565
Model E-5F agtron meter, 123, 128, 129
Nematodes
  Belonolaimus longicaudatus, 21
  Colletotrichum atramenentarium, 18
  Colletotrichum coccodes, 18
  Globodera pallida, 20, 350
  Globodera rastochiensis, 20, 349, 355
  Golden nematode, 159
  Golden nematode resistant cultivars, 227, 231, 239, 240, 243
  Heterodera glycines, 350
  Heterodera tabacum, 350
  Longidorus spp., 15
  Meloidogyme arenaria, 19
  Meloidogyme chitwoodi, 19, 20
  Meloidogyme-fungus pathosystems, 14
  Meloidogyme hapla, 19, 20
  Meloidogyme incognita, 19, 21, 93, 96, 101, 102, 104, 105
  Meloidogyme incognita acrita, 19
  Parasitic nematodes, 98
  Pratylenchus mediterraneous, 19
  Pratylenchus minyus, 19
  Pratylenchus neglectus, 19
  Pratylenchus penetrans, 18, 19, 21, 567
  Pratylenchus scribneri, 21
  Pratylenchus solani, 21
  Pratylenchus thornei, 19
  Root-knot nematode, 93–96, 101, 104
  Root lesion nematode, 567
  Trichodorids, 18
Nematode control with marigolds, 567
Nematode infestation, 100, 102, 105
Nematode resistant cultivars, 227, 231, 239, 240, 243
Nutrient film technique (NFT), 177, 178
Opines, 546
P.A.A. Affairs
  Abstracts of papers presented at 74th Annual Meeting, 537–587
  Announcements of 74th Annual Meeting in Quebec City, 69
  Annual Meeting abstract forms, 700+, 772+
Asian Potato Association Meeting, 667
Book Reviews
  F.A.O. Quarterly Bulletin of Statistics, Vol. 2, No. 4, 809
  Potatoes of Bolivia, 149
  Introduction to Potato Production, 810
  The Potato and Potato Terms, 319
  The Potato Evolution and Genetic Resources, 733
Call for Graduate Student papers for 1991 Annual Meeting, 729, 807, 869
Call for nominations for Honorary Life Members, 728, 808, 875
Call for papers for 1991 Annual Meeting, 730, 805, 871
Certification Section Winter Meeting, 663
Contents of *Potato Research*, Volume 32 (1989), 313
Instructions for completing abstract forms, 700+, 772+
Manuscript reviewers thanks, 70
Minutes of the 1990 Annual Business Meeting, 883
Minutes of 1989–90 Executive Committee Meeting, 875
Minutes of new 1990–91 Executive Committee Meeting, 888

New Honorary Life Members
Elmer E. Ewing, 655
Bertrand Forest, 657
Wilbur A. Gould, 659
Robert B. O'Keefe, 661
Obituaries
W. Glynn Burton, 151
Gary Kleinschmidt, 467
Donald John McLeod, 470
Raymon E. Webb, 321
P.A.A. guidelines for local arrangement committees, 901
Pre-registration for 74th Annual Meeting, 137–147
Program for 74th Annual Meeting, 325
Reports
Business Editor, 389
Editorial Office, 902
Finance Committee, 899
Graduate Student competition, 910
Honorary Life Membership Committee, 903
International Relation Committee, 903
Journal Review Committee, 895
Membership Committee, 897
Membership Secretary, 897
Nomination Committee, 903
Site Selection Committee, 909
Treasurer's and financial statement, 1989–90
Section Reports
Breeding and genetics, 907
Extension, 910
Pathology, 911
Physiology, 908
Production and management, 894
Seed certification, 904
Selection procedures for Honorary Life Members, 727
Utilization
Particle size distribution, 245–249
Pathogen models, 278
Pathogen vectors, 13
Percent colonization, 495, 496
Pest/pathogen interactions, 13, 14
Petiole nitrate content, 572
Phosphorylase activity in sprouting tubers, 819
Photoassimilates, 163, 174
Photoperiods, 443, 444, 448–452
Photosynthesis, 357, 361, 367
Photosynthesis rates, 583
Photosystem I (PSI), 363
Photosystem II (PSII), 358, 363, 368
Physiological age of seed and dormancy, 529
Physiological ageing of tubers, 603–604
Physiological disorders, 3, 31, 242, 530
Plant carbon balance, 582
Plant height of cultivars grown from seed stored at 5 temperatures, 608
Plant senescence, 443–445
Plant spacing, 542, 541
Plant species
Agropyron repens, 540
Corn, 56
Cotton, 197
Eggplant, 443, 451, 454, 457
Flowering tobacco, 571
Lettuce, 178
Marigold, 567
Nicotiana alata, 571
Nicotiana tabacum, 581
Radish, 197
Rape, 105
Solanum ajanhuiri, 79
Solanum melogena, 447
Soybean, 178
Sugar beets, 105, 386
Sweet potato, 178
Tagets spp., 567
Tobacco, 95
Tomato, 559
Wheat, 178, 197, 310
Plant water stress, 769
Polyacrylamide gel electrophoresis, 560
Polymorphic carbohydrate starch, 815
Polymorphisms, 582
Poor and uneven plant stands, 752
Potato callus tissue, 209, 210, 567
Potato collecting, 579
Potato cultivars
New
Allegany, 227–232
Norwis, 371–378
Somerset, 153–160
Steuben, 239–241
Old
Acadia Russet, 133, 135, 163, 165, 167–173, 175, 636, 638
Ackersegen, 783
Alpha, 607, 686
Astarte, 611
Atlantic, 93, 95–103, 109, 111, 156–158, 219, 228, 230, 241–243, 287, 290, 293, 297, 298, 359, 362–364, 374–377, 407, 408, 412, 414, 431, 440, 527, 528,

530–533, 546, 558, 578, 579, 587, 636, 638, 639
Atzimba, 116, 583, 783, 784, 786
Belchip, 287, 290, 293–297
Belle Isle, 530
Belmart, 440
BelRus, 564, 686, 692
Bison, 433, 440
Bintje, 359, 362, 364, 692
Blanka, 19
Broder, 471
Butte, 287, 290, 293–298, 521
Caribe, 267, 268, 270–272
Centennial Russet
Chieftan, 420–424, 621
Chiquita, 405, 407, 408, 411, 412, 414, 415
Chipbelle, 636, 638
Chippewa, 18, 372, 546, 752
Consestoga, 268, 527–529, 532
Criolla, 584
Delus, 240
Delta Gold, 372
Denali, 177, 181–184
Desiree, 19, 359, 362, 364, 583, 604, 607, 611, 671, 674–677, 686, 688, 691–693
Donna, 433, 440
Dorita, 431, 440
Early Gem, 519
Eburu, 675
Eramosa, 530, 579
Exodus, 611
Frisco, 686
Green Mountain, 240, 429, 752, 762, 866
Houma, 18, 372
Hudson, 279
Hi Lite Russet, 583, 769, 771–776
Irish Cobbler, 431, 452, 462
Jaerla, 604, 607, 611
Jemseg, 267, 268, 271, 272, 527–529, 751–758, 761–768
Katahdin, 153, 156, 157, 159, 160, 162, 228, 229, 231, 240–242, 372, 420–424, 431, 529, 564, 571, 575, 583, 590, 693, 677, 719–721, 723–725
Kennebec, 17, 18, 83–89, 122, 125, 127, 128, 153, 156–160, 230, 231, 233–236, 241, 375–377, 440, 508, 519, 522, 546, 555, 557, 571, 583, 621, 671, 674–676
Keswick, 267, 268, 271, 272, 440, 636
King Edward, 762
Krantz, 697, 698, 700, 701
LaRouge, 676
Lemhi Russet, 33, 209–214, 253, 254, 256, 521, 770
McCormick, 762
Merrimack, 407, 408, 412, 686
Merton Pearl, 564
Monona, 122, 125–129, 156–158, 228, 240, 241, 371, 372, 374–378, 527, 528, 533, 558, 563, 635, 641, 854
New Norchip, 616, 618, 619
New Superior, 616, 618, 619
Nooksack, 33, 287, 290, 293, 294, 297, 298, 521, 538, 770
Noordeling, 20
Norchip, 83, 85–88, 122, 125–129, 156–158, 227, 230, 241–243, 279, 287, 290, 293, 298, 359, 361–364, 375–378, 419–424, 493, 494, 497, 527, 528, 531–533, 563, 564, 575, 616, 618, 619, 621, 671, 854
Norgold No. 11, 616, 618, 619
Norgold No. 19, 616, 618, 619
Norgold No. 40, 616, 618, 619
Norgold Russet, 18, 20, 22, 60, 284, 290, 293–298, 386, 391, 519, 522, 523, 558, 559, 583, 621, 635, 538, 700, 769, 771–776, 854
Norgold Super, 616, 618, 619, 701
Norland, 21, 177, 181–184, 289, 290, 294–298, 445–455, 514, 565, 571, 585
NorKing, 700
Onaway, 578, 579
Ontario, 20, 93–98, 100, 103, 104, 720–725
Parda Pastusa, 584
Populaire, 519
President, 686
Procura, 611
Pungo, 20, 93, 95, 100, 676
Raritan, 635, 641
Reddale, 555
Red Gold, 440
Red Lasoda, 287, 290, 293–296
Red Pontiac, 21, 289, 290, 293, 294, 297, 298, 359, 362, 364, 514, 627, 638, 686, 688, 691–693, 854
Redsen, 287, 290, 294, 297, 298
Renacimiento, 20, 671
Rhinered, 287, 290, 293–296, 298
Rosa, 279
Roslin, 675
Russet Burbank, 17–22, 29–31, 33–38, 48, 52, 53, 55–64, 122, 123, 125–129, 163–165, 167–174, 267, 268, 271, 272,

287, 289, 290, 294–298, 307, 308, 359, 362, 364, 385–388, 431, 473–488, 507, 508, 510, 512, 514, 519, 520, 522–524, 529, 537, 545, 547, 552, 553, 555, 556, 558, 559, 561, 563, 571, 572, 575, 583, 585, 676, 686–693, 705, 706, 719, 589–591, 596, 597, 600, 752, 762, 767, 700, 866
Russet Norkotah, 542, 559, 697, 698, 700, 701, 769, 771–776
Russet Nugget, 559
Sable, 267, 268, 271, 272, 636
Saco, 18
Saginaw Gold, 578, 579
Saranac, 686
Sebago, 133–135, 267, 268, 271–273, 279, 427, 430, 433, 676, 752
Serrana, 116
Shepody, 267, 268, 271, 527–529, 751–758, 761–768
Simcoe, 583, 636, 758
Spartan Pearl, 542
Spunta, 19, 611
Sunrise, 571
Tarago, 558
Turghee, 635
Teton, 686, 692
Tobique, 530, 636, 639
Tollocan, 111
Trent, 533
Up-To-Date, 19
Urgenta, 686, 692
Wauseon, 227, 233–236
Wischip, 635, 638, 639, 641
Yukon Gold, 527–529, 533, 751–758, 761–768
Numbered seedlings
57G5-27, 240
A14-0-11, 359, 362–364
A36-1, 519
A102-35, 519
A119-1, 519
A139-1, 519
A163-17, 519
A180-24, 519
A183-8, 519
A405-2, 571
A463-4, 519
A492-2, 519
A522-5, 571
A589-65, 519, 520
A6334-17, 519, 520
A6948-4, 163, 165, 167–175
A66107-51, 56, 68, 59, 163, 165, 167, 175, 519–524
A68113-4, 56, 58, 59, 517, 519, 521–524
A69329-5, 521
A72685-2, 521
A7805-8, 520
AC25953, 154
AF236-1, 154, 155
AF303-5, 720, 723–725
AM-66-42, 431
AT24-9, 240
B71-240.2, 783, 784, 786
B135-5, 519
B606-37, 154
B1268-46, 372
B1299-15, 372
B2067-52, 154
B2756-2, 519
B2823-43, 372
B2919-1, 154
B2963-7, 519
B3627-18, 154
B3692-4, 154
B4144-1, 372
B4494-3, 240
B5141-6, 154
B6097-9, 154
B6516-5, 154
B9867-7, 519
C14-343, 359, 361–364
CFK69.1, 111, 783, 784, 786
DP86, 407, 408, 411, 412
DTO-28, 359
DTO-33, 359, 362–364
F9-31, 240
F5850, 635, 639, 641
F60019, 635
F66041, 635
F7703-1, 434
F77087, 636, 639
F78073, 440
F79048, 431
F79055, 431, 440
F81062, 431
FL162, 375–377
FL657, 371, 372, 571, 720, 721, 723, 725
FL795, 374, 375, 377
H75, 573
I-1039, 782–784, 786
India 1035, 111
J212, 573

K73, 573
K87, 573
K138, 573
K212, 573
K289, 573
K299, 573
K316, 573
L-1, 359, 362, 364, 573, 675
LT-7 (A1), 109
M6, 395
M278-17, 227
M297-17, 227
Minn 82372, 697, 698
ND509-2, 519
ND534-4, 290, 293, 294, 297, 298
ND651-9, 854
ND860-2, 83, 90, 407, 411, 519, 854
ND967-1, 697, 698, 700, 701
ND1538-1, 697, 698, 701
ND2047-12, 697, 698, 700, 701
ND2151-1, 697, 698
ND2221-6, 839
ND2475-8, 519
NDA1725-1, 521
NDA8694-3, 521
NY47, 17
NY72, 227
NY81, 240
PI225682, 84
RD3-22, 372
US-W730, 411–416
W231, 407, 408, 411, 412, 546
W639, 407
W815, 395
W909, 395
W921, 395
W953, 395
WY1122, 564
Potato diseases
Acid scab, 16, 153, 159
Bacterial ring rot, 6, 564, 625, 685–687, 690
Bacterial soft rot, 287–302
Bacterial wilt, 93–95, 97–100
Blackleg, 5, 6, 18, 289
Brown rot, 93, 100, 101
Charcoal rot, 583
Common scab, 4, 153, 159, 234, 560, 563
Corky ring spot, 15
Early blight, 231, 237, 239, 277–285, 386, 420, 421, 563, 587, 615, 616, 618, 620
Hollow Heart, 160, 242, 695
Internal heat necrosis, 580
Late blight, 231, 239, 277–285, 420, 421, 427, 429, 580, 860
Leafroll, 159, 589, 590, 596–601
Net necrosis, 153
Pink eye, 552
Physiological disorders, 530
Potato wart, 15, 231
Powdery mildew, 385–387, 391
Powdery scab, 4, 15, 227, 239, 557
Rhizoctonia, 20, 159, 560, 612
Russet scab, 243
Sclerotinia wilt, 563
Silver scurf, 565, 574, 612, 706
Spindle tuber, 559
Stem canker, 8
Tobacco rattle virus, 15, 18
Tuber dry rot, 133–135
Verticillium wilt, 7, 18, 20, 21, 160, 227, 231, 517, 518, 524, 551, 563
Potato cultivar maturity, 671
Potato flake process, 202
Potato growth stages, 671
Potato management profiles, 527, 528
Potato plant introductions resistant to late blight, 494–496
Potato plantlets, 561
Potato quality
Agtron E-5F system, 649
Agtron M-500-A/M-300-A system, 648
Agtron readings, 228, 230, 241, 579
Ascorbic acid content of potatoes, 571
Chip color measurement systems, 647, 653
Spetrophotometric chip color measurement, 647
Chip colors, 241, 243, 378, 379, 423, 579, 638
Chipping ability, 633–635, 637, 641
Chipping quality, 228, 231
Chipping stability, 633, 635, 637, 641
Chip sample selection, 647, 651
Cooking quality, 228, 583
Electronic cookness tester, 201
Extrusion tester, 201, 202
French fries, 520
Fried color, 210, 520, 547
Liquid extraction, 245–250
Maillard reaction, 815
Nutritional composition of potato tubers grown with NFT technique, 184
Objective evaluation of chip colors, 648
Phosphofructo kinases, 578
Proteins, 574

Sensory tests, 19
Subjective evaluation of chip color, 648
Taste and texture of baked potatoes, 583
Texture measurement, 203
Potato ricer, 204
Potato rod-mill grinder, 245, 247–250
Potato species (Solanum)
acaule, 358, 554, 559, 586, 737–741
aerrulans, 739–741
berthaultii, 405, 407, 413, 414
brevidens, 289, 301, 566, 579
bukasovii, 405, 407, 413, 414
chacoense, 358, 462, 539, 578, 584
commersonii, 539
demissum, 462, 497, 559
etuberosum, 568
gigantophyllum, 580
goniocalyx, 573
gourlayi, 405, 407, 413, 416
jamesii, 568
maglia, 579
microdontum, 580
multidissectum, 405, 407, 413, 414, 559
neocardenasii, 577
phureja, 289, 301, 566, 579
sactae gp. *rosae*, 548
serratonis, 381
sparsipilum, 73, 74, 77–80
stenatomum, 73, 74, 76, 77, 80, 593
sucrense, 20
tarijense, 414
tuberosum, 80, 163, 190, 217, 234, 267, 288, 288, 289, 301, 307, 358, 385, 406, 420, 461, 500, 517, 527, 540, 544, 550, 552, 561, 564–566, 568, 571, 579, 583, 604, 625, 672, 705, 737, 738, 761, 831
tuberosum spp. *andigena*, 74, 80, 462, 500, 564, 575, 672
vernei, 405, 407, 413, 415, 559
verrucosum, 405, 407, 413, 414, 491–497
Presowing (TPS) treatments, 109
Pressure bruise, 45
Pressure chamber estimates of leaf water potentials, 307, 310
Procedure for assessing rate of physiological ageing, 612
Probit analysis, 723–725
Processing models, 278
Production of disease free cultivars, 267
PROMO, 21
Propagation
By leaf cuttings, 267, 268
By stem cuttings, 267, 269, 270
Effect of activated charcoal rooting substrate on percent rooting of stem cuttings, 273
Effect of removing leaves on percent rooting of stem cuttings, 271
Effect of rooting hormones on potato stem cuttings, 272
Effect of rooting hormones on rooting plus trimming of leaves on percent rooting of stem cuttings, 271
Flushing axillary shoots, 268, 270
Rooting substrate, 267, 269
Optimization regimes, 267, 272
Purchasing decisions, 719, 720, 724, 725
Purchasing habits, 719, 725
Quantitative analysis of fungicide dynamics using computer simulation models, 277, 278
Reconditioning for chips, 84
Reduced potato growth, 357
Reducing sugars and effects on processing quality, 849
R-genes, 560
Regional project NE107, 227, 240
Reserve mobilization in seeds, 816
Residues of CIPC, 709, 716
Resistance analysis, 277–285
Respiratory losses, 815
Response to water stress, 531
R.N.A. blot hybridization, 256, 268
R.N.A. levels of patatin (protein), 253, 254, 258–262
Root pulling, 547
Root resistance, 769, 770
Rotations vs verticillium wilt, 58
Russet Burbank plants, 510–514
Sanitation versus verticillium wilt, 57
Seedling vigor, 109, 111, 116, 117
Seed Preparations for planting, 529, 538
Seed tubers, 133
Seed tuber portions related to
emergence, 751
plant stand, 751
yield, 763, 764
Seedpiece spacing effect on
Fry color, 473, 477, 485, 486
Hollow heart, 473–475, 477–482
Processing quality, 473, 475
Reducing sugars, 475
Specific gravity, 473, 474, 486
Sucrose content of tubers, 475, 477, 483,

488
Tubers per plant, 483, 484
Tuber size distribution, 473–475, 477–482
Tuber weight, 484, 485
Tuber yield, 473–475, 477–482
Shoot regeneration, 572
Shrink wrapping of tubers, 705, 710, 719
Sink-source interactions, 830
Genotype variations, 831
Small plot harvester, 799
Soil compaction, 769, 770
Soil water holding capacity, 31
Solarization, 55, 57
Source-sink relationships, 829
Specific gravity, 29, 33, 38, 40, 55, 157, 229, 230, 240, 241, 375, 419, 421, 422, 424, 544, 579
Sporulation ratings, 495, 496
Sprout control, 705
Sprout inhibition, 713
Sprout inhibition period, 122, 125
Starch breakdown in tubers, 817
Starch gel electrophoresis, 615, 617, 618
Starch synthesis, 840
Stems per plant from different seed portions, 766
Storage of true potato seed, 570
Storage regimes for cultivars, 532, 533
Storage temperature, 122
Storage temperature effects on growth vigor of seed tubers, 605
Storage temperature for chipping potatoes, 84
Student-Newman Keuls test, 270
Suberization period, 125
Subsoiling, 769–771, 776
Sugar metabolism in tubers, 823
Sugars
Maltose phosphorylase, 816
Non-reducing sugars, 209–214
Reducing sugars, 85–89, 121–124, 126–129, 131, 202, 208, 214
Somogy-Nelson sugar method, 84
Sucrose, 121, 124
Sucrose synthase catalyzes, 836, 839
Total sugars, 85, 86, 202
Sugar storage in tubers, 843
Sugar synthesis in leaves, 840
Survey questionnaire, 720
Survival of ring rot bacteria, 625–627
Symptomless carriers of ring rot, 692, 693
Temperature effects on callus tissue, 212, 213
Temperature treatments for ring rot control, 627
Thermosensitivity, 349, 351
TPS dormancy, 109, 118
TPA seed pruning, 110–113
Transgenic plants, 559
Transient moisture stress, 547
True potato seed (TPS), 109, 110
Tuber ageing indices, 766
Tuber appearance index, 709–711
Tuber bruising causes, 45
Tuber calcium content as related to bacterial soft rot resistance, 287, 296, 297
Tuber cracking, 45
Tuber defects, 228
Tuber dormancy, 243
Tuber dry matter content as related to bacterial soft rot resistance, 289, 298, 299
Tuber greening, 159
Tuber maturity, 29, 316, 367
Tuber net development, 38
Tubers per plant from different seed portions, 766
Tuber production, 779, 780
Tuber production in nursery beds, 782
Tuber progeny tests for leafroll, 589–601
Tuber resistance to bacterial soft rot, 287–302
Tuber shatter bruise, 45
Tuber sprout weight loss, 715
Tuber stress and hollow heart, 696
Tuber weight loss, 710, 714
Vectors of viruses, 16
Verticillium wilt colonization, 522–524
Verticillium wilt resistant germplasm, 517, 518, 520, 521
Vine maturity, 522
Vine pulling, 861
Vine regrowth, 860
Virus X and Y resistance in genotypes, 544
Viruses
PLRV, 15, 17, 231, 243, 271, 598–601, 866, 867
PSTV, 17, 22
PVS, 17, 18, 373
PVX, 17, 18, 22, 159, 231, 243, 371
PVY, 15, 22, 231, 243, 371, 865
Watermark soil moisture sensors model 200X, 581
Water management effects
on foliar disease development, 5
on tuber disease development, 4
Water stress effects, 3, 4, 576

on quality, 3
on yield, 3
Water stress symptoms, 30, 31
Whole tubers for seed, 755, 756, 761, 762, 764, 765
Yield enhancer, 571
Yield prediction model, 669
Yields, 3, 29, 33, 34, 39, 40, 55, 177, 182, 229, 230, 240, 241, 375, 424, 522, 547, 579
Yields by growth stages, 35
Zeiss photomicroscope, 688

Author Index

ABDUL-BAKI, A. and T. SOLOMOS. Diffusivity in CO_2 in potato tubers, 537, (abst.).
ADAMS, S.S. and W.R. STEVENSON. Water management, disease development, and potato production, 3.
AKELEY, R.V., *see* Reeves, A.F.
ALCAZAR, J., *see* Raman, K.V.
AMOROS, W., *see* Wissar, R.
AMSTADT, C. and S.J. PELOQUIN. Evaluation of new hybrids and haploid-species hybrids for fertility and 2n gametes, (abst.).
ANDERSON, N.A. *see* Hoyos, G.P.
ARBIZU, C., *see* Watanabe, K.
ARNDT, G.G. and S.J. PELOQUIN. The identification and evaluation of hybrid plants among open pollinated true-seed families, 393.
ARNOT, G.C., J.L. RUEDA, H.M. KINDANE-MARIAM, and S.J. PELOQUIN. Pollen fertility in relation to open pollinated true seed production in potatoes, 499.
ASSELIN, A., *see* Audy, P.
ATO, M., *see* Wissar, R.
AUDY, P., J. PARENT, and A. ASSELIN. Detection of potato viruses S and Y by nucleic acid spot hybridization using nonradioactive cDNA probes, (abst.).
AUDY, P., J. TRUDEL, and A. ASSELIN. Effects of some animal, plant and bacterial extracts on growth of *Clavibacter michiganense* sulsp *Spedonicum*, (abst.).
AUGER, M., *see* Freve, A.
BAKER. T.P. and S.L. LOVE. Development of potato variety trial management software, 539, (abst.).
BAMBERG, J.B. A practical method for making wild potato germplasm from Mexico accessible for evaluation and utilization, 539, (abst.).
BAMBERG, J.B., *see* Martin, M.W.
BANDY, B.P., *see* Lakshman, D.K.
BANDY, B.P. and S.M. TAVANTZIS. Effect of hypovirulent *Rhizoctonia solani* on rhizoctonia disease, growth, and development of potato plants, 189.
BANI-AAMEUR, F., F. LAUER, R. VELLEUX, and H. HILALI. An evaluation of the influence of the Solanum chacoense genome on the performance of 4x - 2x potato hybrids over two seasons in Morocco, 539, (abst.).
BANVILLE, G., *see* Dion, P.
BAZIRAMAKENGA, R. and G. LEROUX. Critical period of quackgrass (*Agropyron repens* L. Beaur.) interference in potato crops (*Solanum tuberosum* L.), 540, (abst.).
BEGAZO, D., *see* Rabinowitz, D.
BEGIN, S., *see* Michaud, M.H.
BELCOURT, J., *see* de Oliveira, D.
BELKNAP, W.R., T.M. RICKEY, and D.R. ROCKHOLD. Blackspot bruise dependent changes in enzyme activity and gene expression in Lemhi Russet potato, 253.
BELKNAP, W., *see* Rickey, T.
BENNETT, M.A., *see* Kleinhenz, M.D.
BERTRAND, C., *see* St. Pierre, B.
BIRT, I., *see* Platt, W.H.
BOE, A.A., *see* Ehlenfeldt, M.K.
BOERSIG, M. and D. MITTEN. Effects of tissue source and mutogen treatment on viability of regenerated potato lines, 541, (abst.).
BOFU, S., *see* Yu, Q.D.
BOWLER, G., *see* Johnson, S.B.

BRANDOLINI, A. and H.A. MENDOZA. Resistance to *Alternaria solani*: General combining ability and heritability in an advanced population, 540, (abst.).
BRISSON, N., *see* St. Pierre, B.
BROOK, R. and D. GUYER. Impact testing of potato harvesting equipment, 541, (abst.).
BROWN, J., *see* Muneta, P.
BRODIE, B.B., *see* LaMondia, J.A.
BRODIE, B.B., *see* Moyer, D.D.
BRODIE, B.B., *see* Plaisted, R.L.
BURNETT, D.S., *see* Shock, C.C.
BUSHWAY, A.A., R.J. BUSHWAY, and C.H. KIM. Isolation, practice, purification and characterization of a potato peel oc-solanine cleaving glycosidase, 233.
BUSHWAY, R.J., *see* Bushway, A.A.
BUSHWAY, R., *see* Perkins, B.
CAMIRAND, E.L. and J.C. ESPINILLO. Germplasm transfer from the wild tetraploid species *Solanum acaule* Bitt. to the cultivated potato *S. tuberosum* L. using 2n eggs, 737.
CAMIRAND, A., *see* St. Pierre, B.
CAMPBELL, A.J., *see* Platt, W.H.
CANTELO, W.W., *see* Sinden, S.L.
CAPPADOCIA, M., *see* Pontbriand, P.
CAPPADOCIA, M., *see* St. Pierre, B.
CAPPADOCIA, M., *see* Yeronneau, H.
CASH, J., *see* Sinha, N.
CARLSON, J.E., *see* Guenthner, J.F.
CASH, J., *see* Sinha, N.
CHAREST, P.M., *see* Laroche, J.
CHAREST, P.M., *see* Suda, J.H.
CHASE, R.W., *see* Silva, G.
CHASE, R., *see* Sinha, N.
CHASE, R., G.H. SILVA, and R.B. KITCHEN. Nitrogen and spacing effects on tuber yield and quality of Russet Norkotah and Spartan Pearl, 542, (abst.).
CHENG, H., A.S. KEZIS, S.R. PEAVEY, and D.A. SMITH. Factors affecting consumer purchase decision for round white potatoes, 719.
CHENG, J. and R.E. VEILLEUX. Genetic analysis of protoplast culturability in the diploid potato species, *Solanum phureja*, 542, (abst.).
CHRIST, B.J. Influence of potato cultivars on the effectiveness of fungicide control of early blight, 419.
CHRIST, B.J., *see* Reeves, A.F.
CHRISTIE, B.R., *see* Loiselle, F.
CIPAR, M.S., D. HUNTER, P. PORTER, and G. HENDERSON. Norwis: a new potato variety combining chipping quality, wide adaptation, disease resistance, and high yield, 371.
CISNEROS, P., *see* Quiros, C.F.
CLARK, R.G., *see* Hamerlynck, M.J.
CLEOMENIS, P. and C. DOGRAS. Yield, quality, and storability of potatoes in relation to nitrogen fertilization, 543, (abst.).
COFFIN, R.H., *see* McKeown, A.W.
COLEMAN, W.K. and A. MURPHY. Effect of dormancy releasing chemicals of subsequent tuber response to *Fusarium sambacinum*, 133.
CLOUTIER, C. Pest aphid flight activity in the St. Lawrence Valley, Quebec, 543, (abst.).
COLE, R.H., *see* Reeves, A.F.
COLLINS, W.W. and M.J. WANNAMAKER. Relationship between dry matter, specific gravity, and tissue specific gravity in a diploid population of *Solanum tuberosum* subsp *Phureja*, 544, (abst.).

CORSINI, D. and J. PAVEK. Field resistance to viruses X, Y, and leafroll combined in adapted genotypes, 544, (abst.).
CORSINI, D.L., J.J. PAVEK, and J.R. DAVIS. Verticillium wilt resistant potato germplasm: A66107-51 and A68113-4, 517.
CURWIN, D. Symposium summary and discussion, 67.
DAVIES, H.V. Carbohydrate metabolism during sprouting, 815.
DAVIS, J.R., *see* Corsini, D.L.
DAVIS, J.R., L.H. SORENSON, J.C. STARK, and D.T. WESTERMAN. Fertility and management practices to control verticillium wilt of the Russet Burbank potato, 55.
DEAHL, K.L., R.W. GOTH, R. YOUNG, S.L. SINDEN, and M.E. GALLEGLY. Characterization of strains of *Phytophthora infestens* from the United States and Canada with the A2 mating type behavior, 545, (abst.).
DEAHL, K.L., *see* Sanford, L.L.
DEAHL, K.L., *see* Sinden, S.L.
DeBOER, S.H. and M. McCANN. Selection of *Corynebacterium sepedpmicum* in potato cultivars with different propensities to expressing rot symptoms, 685.
DEBORAH, R., *see* Keinath, A.P.
DENG, R., *see* Prange, R.K.
de OLIVEIRA, D., *see* Houle, M.J.
de OLIVEIRA, D., *see* Nunes, C.
de OLIVEIRA, D., B. SAUCIER, P. MARTEL, and J. BELCOURT. Colorado potato beetle: a pest of a beneficial insect, 545, (abst.).
de WEERD, J.W. and L.K. HILLER. Plant growth and tuber quality as affected by cultivar irrigation and seed age, 545, (abst.).
DION, P., B.E. OTRYSKO, and G. BANVILLE. Isolation of opine-utilization bacteria from potato tubers, 546, (abst.).
DODDS, J.H., *see* Sanchez, G.E.
DOGRAS, C., *see* Cleomenis, P.
DONNELLY, D.J., *see* Leclerc, Y.
DOUCHES, D.S., S. JANSKY, C. LIU, and G. THOMPSON. Segregation of isozyme loci in haploid progeny derived from cultivated tetraploid potato of *Solanum tuberosum* subsp. *tuberosum*, 546, (abst.).
DOUCHES, D.S., *see* Rabinowitz, D.
DOUCHES, D.S., *see* Spooner, D.M.
DOUGLASS, L.K., *see* Seabrook, J.E.A.
DUBE, P.A.. *see* Michaud, M.H.
DUCHESNE, R.M., *see* Parent, J.G.
DWELLE, R.B. Source/sink relationships during tuber growth, 829.
DWELLE, R.B., *see* Gawronska, H.
DWELLE, R.B., *see* Shetty, K.
DWELLE, R.B., *see* Thornton, M.K.
EASTON, G.D. and M.E. NAGLE. Aircraft-applied sulfor for control of powdery mildew (*Erysiphe cichoracearum*) on potato in Washington State, 385.
EHLENFELDT, M.K., D.F. LOPEZ-PORTILLA, A.A. BOE, and R.H. JOHANSEN. Reducing sugar accumulation in projeny families of cold chipping potato clones, 83.
ELDREDGE, E.R. and C.C. SHOCK. Comparison of hydraulic press and pressure chamber estimates of potato leaf water potential, 307.
ELDREDGE, E.P., C.C. SHOCK, and T.D. STIEBER. The effect of a transient moisture stress on Russet Burbank yield and fry color, 547, (abst.).
ELDREDGE, E.P., *see* Stieber, T.D.
El-NASAAR, H., *see* WATANABE, K.
EKANAYAKE, I. and D.J. MIDMORE. Root pulling resistance characteristics of droughted potatoes, 547, (abst.).

ESPINOLA, N., *see* Pallais, N.
ESPINILLO, J.C., *see* Camadro, E.L.
ESTRADA, N. Breeding value of *Solanum sanctae rosae*, 548, (abst.).
FALSON, R., *see* Pallais, N.
FELLMN, J.K., *see* Shetty, K.
FLANDERS, K.L., D.W. RAGSDALE, and E.B. RADCLIFFE. Use of enzyme-linked immunosorbent assay to detect potato leafroll virus in field grown potato, cv. Russet Burbank, 589.
FONG, N., *see* Pallais, N.
FORSYTHE, H.Y., Jr., *see* Sewell, G.H.
FRAVEL, R., *see* Kienath, A.P.
FREVE, A. Stem sampling and stem multiplication a potential tool in the eradication of bacterial ring rot within a 3 year frame, 548, (abst.).
FREVE, A. Calendar for year round seed potato multiplication using stem cutting and mini-tubers, 549, (abst.).
FREVE, A. and M. AUGER. Seven weeks for production of small seed potatoes in growth rooms, 549, (abst.).
FREVE, A. and M. AUGER. Plantation of small seed potatoes within 7 weeks after harvest, 550, (abst.).
FREVE, A. and P.T. SYLVESTRE. The importance of conserving potato stem samples and their sap in the detection of bacterial ring rot, 549, (abst.).
FRY, W.E., *see* Shtienberg, D.
FU, F.M., *see* Yu, Q.D.
GALLEGLY, M.E., *see* Deahl, K.L.
GANGA, Z.N. and R.L. PLAISTED. Effects of light intensity and temperature on the properties and expression of glandular trichomes of potato (*Solanum* spp.), 550, (abst.).
GARCIA, R., *see* Pallais, N.
GAWRONSKA, H., R.B. DWELLE, and J.J. PAVEK. Partitioning of photoassimilates by potato plants (*Solanum tuberosum* L.) as influenced by irradiance: II. Partitioning patterns by four clones grown under high and low irradiance, 163.
GIROUX, M., *see* Tran, T.S.
GIROUX, M. and TRAN, T.S. Effect of N fertilization and plant spacing on early harvested potato yield, 551, (abst.).
GOTH, R.W., *see* Deahl, K.L.
GOTH, R.W. and K.G. HAYNES. Evaluating advanced breeding clones for verticillium resistance, 551, (abst.).
GOTH, R.W. and K.G. HAYNES. Correlation of verticillium *Albo-atrum* and *V. Dahliae* with the incidence of pink eye in Maine, 552, (abst.).
GROZA, H. and KAHN, R. Isozyme analysis in potato line selection, 552, (abst.).
GUDMESTAD, N.C., *see* Kurowski, G.J.
GUENTHNER, J.F., R.L. KREBILL-PRATHER, J.E. CARLSON, and L.E. MAKUS. Idaho mandatory seed law survey, 552, (abst.).
GUYER, D., *see* Brook, R.
HAERNANDEZ, E., *see* Wissar, R.
HAGEN, S., *see* Muneta, P.
HALSETH, D.E., *see* Plaisted, R.L.
HAMMERLYNCK, M.J., R.G. CLARKE, and R.N. ROGERS. Sources of *Erwinia* contamination in limited generation seed, 553, (abst.).
HANNEMAN, R.E. Jr., *see* Sing-sit, C.
HARRISON, S., *see* Muneta, P.
HAYNES, K.G. Covariances between diploid parent and tetraploid offspring derived from 4x-2x hybridizations, 553, (abst.).
HAYNES, K.G., *see* Goth, R.W.

HAYNES, K.G. and D.R. WILSON. Correlation of yield and specific gravity in a tetraploid tuberling populations, 553, (abst.).
HEILAND, W.K., *see* Kozempel, M.F.
HELGESON, J.P., *see* Novy, R.
HEMENWAY, C., *see* Lawson, C.
HENDERSON, G., *see* Cipar, M.S.
HENNINGER, M.R., *see* Sterrett, S.B.
HERRERA, M., *see* Quiros, C.F.
HILALI, A., *see* Bani-Aameur, F.
HILLER, L.K. Introduction to proceedings of the symposium on carbohydrate metabolism in developing and stored potatoes, 813.
HILLER, L.K., *see* De Weerd, J.W.
HINKLE, C.R., *see* Wheeler, R.M.
HODGES, T., *see* Manrique, L.A.
HODGSON, W.A., *see* Misener, G.C.
HOSAKA, K. and D.M. SPOONER, RFLP analysis of *Solanum acaule*, 554, (abst.).
HOULE, M.J., D. de OLIVEIRA, and Y. MAUFFETTE. The timing of defoliation on the response of *Solanum tuberosum* var. Superior by the Colorado potato beetle, 554, (abst.).
HOYOS, G.P. and N.A. ANDERSON. Studies on the resistance in the potato cultivar Reddale to *Verticillium dahliae*, 555, (abst.).
HOYOS, G.P. and N.A. ANDERSON. Development of *Verticillium dahliae* innoculum associated with continuous cultivation of Reddale, Kennebec, and Russet Burbank potatoes in the Red River Valley, 555, (abst.).
HUNG, Y.T. Effect of aerobic bioaugmentation in potato wastewater treatment, 556, (abst.).
HUNTER, D., *see* Cipar, M.S.
HURST, H., *see* Perkins, B.
IWANAGA, M., *see* Watanabe, K.
JABAJI-HARE, S., *see* Laroche, J.
JACKSON, M.T., *see* Watanabe, K.
JANARDAN, K.G., *see* Orr, P.H.
JANSKY, S., *see* Douches, D.S.
JANSKY, S.H. and D.M. THOMPSON. Expression of hollow heart in segregating tetraploid potato families, 695.
JENSEN, L.B., *see* Stieber, T.D.
JIASUI, Z., *see* Yu, Q.D.
JOERN, B. and M.L. VITOSH. Effect of rate and time of nitrogen fertilizer on Russet Burbank yield and quality, nitrogen uptake efficiency and movement in soils, 556, (abst.).
JOHANSON, A. and H.D. THURSTON. The effect of cultivar maturity on the resistance of potatoes to early blight caused by *Alternaria solani*, 615.
JOHANSEN, R.H., *see* Ehlenfeldt, M.K.
JOHNSON, B.S., *see* Manrique, L.A.
JOHNSON, S.B. and G. BOWLER. Potato harvester safety. A video from Maine, 557, (abst.).
JONES, E.D., *see* Melching, J.B.
JONES, E.D., *see* Plaisted, R.L.
KAHN, R., *see* Groza, H.
KAFKAFI, V., *see* Levy, D.
KANIEWSKI, W., *see* Lawson, C.
KEINATH, A., P. DEBORAH, R. TRAVEL, and G.C. PAPAVIZAS. *Gliocladium roseum* as a potential biocontrol for verticillium wilt of potato, 557 (abst.).
KELMAN, S., *see* Tzeng, Kuo-Ching.
KEZIS, A.S., *see* Cheng, H.
KIM, H., *see* Bushway, A.A.
KINDANE-MARIAM, H.M., *see* Arndt, G.C.

KIKIAM, R. Screening for resistance to powdery scab disease of potatoes, 557, (abst.).
KITCHEN, R.B., *see* Chase, R.
KITCHEN, R.B., *see* Silva, G.
KLEINHEZ, M.D. and M.A. BENNETT. Growth and yield of potato cultivars Atlantic and Monona as influenced by seed tuber size, 558, (abst.).
KLEINKOPF, G.E., *see* Ojala, J.C.
KNOTT, W.M., *see* Wheeler, R.M.
KNUTSON, K.W., A. NOVERO, and S. NDIRANGU. *In vitro* growth of six potato cultivars as influences by layering liquid medium over solid medium, 558, (abst.).
KREBILL-PRATHER, R.L., *see* Guenthner, J.F.
KOZEMPEL, M.F. and W.K. HEILAND. Continuous electronic on-line cookness tester for potatoes, 201.
KOZUB, G.C., *see* Lynch, D.R.
KOZUB, G.C., *see* Nelson, G.A.
KUPERS, L.J.P., *see* van Ittersum, M.K.
KUROWSKI, C.J. and N.C. GUDMESTAD. The effect of ethylene and absicisic acid on symptom expression of bacterial ring rot in eggplant and potato, 443.
KUROWSKI, C.J. and F.E. MANZER. Evaluation of IR-1 accessions showing resistance to bacterial ring rot in previous trials, 559, (abst.).
KUROWSKI, C.J., *see* Manzer, F.E.
LADD, T.L., Jr., *see* Sanford, L.L.
LAKSHMAN, D.K., B.P. BANDY, and S.M. TAVANTZIS. Evaluation of transgenic plants engineered with an antisense mutated cDNA of potato spindle tuber viroid (PSTV), 559, (abst.).
LAMBERT, D. and F.E. MANZER. Relationship of calcium to potato scab severity, 560, (abst.).
LAMONDIA, J.A. and B.B. BRODIE. The effects of moisture on the thermosensitivity of *Globodera rostochiensis* (nematoda), 349.
LANDEO, J.A. and L. TURKENSTEEN. Progeny studies in potato to identify horizontal resistance to late blight and presence of R-genes, 560, (abst.).
LAROCHE, J., S. JABAJI-HARE, and P.M. CHAREST. Isozymes variations among anastomosis groups of Rhizoctonia solani (Kuhn) isolated from potato, 560, (abst.).
LAUER, F., *see* Bani-Aameur, F.
LAWSON, C., F. PERLAK, W. KANIEWSKI, J. WEISS, Y. MUSKOPF, C. HEMENWAY, and N. TUMER. Current progress of new gene introduction in Russet Burbank for pest control, 561, (abst.).
LECLERC, Y. and D.J. DONNELLY. Seasonal differences in the field performance of micropropagated potato under a short growing season in Quebec, 561, (abst.).
LECLERC, Y. and D.J. DONNELLY. The contributions of *in vitro* produced roots to the *ex vitro* establishment of potato plantlets, 561, (abst.).
LECLERC, Y. and D.J. DONNELLY. Seasonal differences in the field performance of micropropagated potato under a short growing season in Quebec, 507.
LEE, G.S., *see* Sterrett, S.B.
LEROUX, G.D., *see* Baziramakenga, R.
LeTOURNEAU, D., *see* Muneta, P.
LEVY, D. and V. KAFKAFI. Propagation of potatoes from *in vitro* proliferated shoot cuttings transplanted into the field, 562, (abst.).
LINDER, C.R., *see* Rabinowitz, D.
LIV, C-A., *see* Douches, D.S.
LOCASCIO, S.J. and R.D. RHUE. Phosphorus and micronutrient sources for potato, 217.
LOISELLE, F., G.C.C. TAI, and B.R. CHRISTIE. Genetic components of chip color evaluated after harvest, cold storage, and reconditioning, 633.
LOPEZ-PORTILLA, D.F., *see* Ehlenfeldt, M.K.

LORIA, R., *see* Merida, L.
LORIA, R., *see* Plaisted, R.L.
LOVE, S.L., *see* Baker, T.P.
LOVE, S.L. and J.J. PAVEK. Relationship of the clonal mean to uniformity and stability of tuber specific gravity in potatoes, 562, (abst.).
LYNCH, D.R. and G.C. KOZUB. Useful yield components as an aid in selection for tuber yield, 562, (abst.).
MACKOWIAK, C.L., *see* Wheeler, R.M.
MAKUS, L.D., *see* Guenthner, J.F.
MANRIQUE, L.A., T. HODGES, and B.S. JOHNSON. Genetic variables in potatoes, 669.
MANZER, F.E. and C.J. KUROWSKI. Monitoring progress of cell populations during development of bacterial ring rot in resistant and susceptible cultivars, 564, (abst.).
MANZER, F.E., *see* Kurowski, C.J.
MANZER, F.E., *see* Lambert, D.
MANZER, F.E., *see* Reeves, A.F.
MANZER, F.E., *see* Sewell, G.H.
MARTEL, P., *see* Nunes, C.
MARTEL, P., *see* de Oliveira, D.
MARTIN, M.W. Reducing pesticide use in potatoes with genetic disease resistance, 563, (abst.).
MARTIN, M.W. and J.B. BAMBERG. *In vitro* manipulation of the phenotypes of gibberellin deficient potato clones, 564, (abst.).
MARTIN, M.W., *see* Miller, D.E.
MAUFFETTE, Y., *see* Houle, M.J.
MAUFFETTE, Y., *see* Nunes, C.
MELCHING, J.B., E.D. JONES, and S.S. SLACK. Field performance of small *in vitro* derived greenhouse-produced minitubersm 565, (abst.).
MENDOZA, H.A., *see* Brandolini, A.
MENDOZA, H.A., *see* Wissar, R.
MERIDA, L. and LORIA, R. Characterization of *Helminthoporium solani* isolates from New York State, 565, (abst.).
MICHAUD, M.H., P.A. DUBE, and S. BEGIN. Influence of floating row covers on microclimate for production of early potatoes (*Solanum tuberosum*), 565, (abst.).
MIDMORE, D.J., *see* Ekanayake, I.
MIDMORE, D.J., *see* Prange, R.K.
MILLER, D.E. and M.W. MARTIN. Responses of three early potato cultivars to subsoiling and irrigation regime on a sandy soil, 769.
MISENER, G.C., H.W. PLATT, and W.A. HODGSON. Effect of mechanical top pulling and chemical top desiccation on the incidence of later blight tuber rot, 859.
MISENER, G.C., *see* McLeod, C.D.
MITTEN, D., *see* Boersig, M.
M'RIBU, H.K. and R.E. VEILLEUX. Field evaluation of the breeding value of doubled monoploids from a clone of the diploid potato species *Solanum phureja* (Juz and Buk), 566, (abst.).
MORRELL, S., *see* Rees, ap T.
MORROW, L. Update on potato vine desiccation in Maine, 566, (abst.).
MOYER, D.D., J.B. SIECZKA, and B.B. BRODIE. Evaluation of commercial planters for seeding marigolds for nematode control in potato rotations, 567, (abst.).
MUNETA, P., S. HAGEN, D. LeTOURNEAU, and J. BROWN. Effect of temperature on the sugar content of potato callus tissue, 209.
MUNETA, P., S. HARRISON, S. HAGEN, D. LeTOURNEAU, and J. BROWN. Growth and maintenance of potato callue tissue, 567, (abst.).
MARGUIA, H., *see* Rabinowitz, D.

MURPHY, A.., *see* Coleman, W.K.
MURPHY, H.J., *see* Reeves, A.F.
MUSKOPF, W., *see* Lawson, C.
MacKINNON, *see* Platt, W.H.
McCANN, M., *see* DeBoer, S.H.
McGUIRE, R.G., *see* Tzeng, Kuo-Ching
McKEOWN, A.W. Growth of early potatoes from different portions of seed tubers. I. Emergence and plant stand, 751.
McKEOWN, A.W. Growth of early potatoes from different portions of seed tubers. II. Yield, 761.
McKEOWN, A.W. Effect of thiobendazole on emergence and yield of Monona, 563, (abst.).
McKEOWN, A.W., R.H. COFFIN, R.Y. YADA, and S. SQUIRE. The concept and development of management profiles for potato cultivars and selections, 527.
McLAUGHLIN, R.J., L. SEQUEIRA, and D.P. WEINGARTNER. Biocontrol of bacterial wilt of potato with an avirulent strain of *Pseudomonas solonacearum*: Interactions with root-knot nematodes, 93.
McLEOD, C.D. and G.C. MISENER. Cull potato grinding with a rod mill, 245.
McRAE, K.B., *see* Platt, H.W.
McRAE, K. B., *see* Prange, R.K.
NAGLE, M.E., *see* Easton, G.D.
NDIRANGU, S., *see* Knutson, K.W.
NELSON, G.A. and G.C. KOZUB. Survival of *Corynebacterium sepedonicum* at freezing and at wide fluctuations between freezing and above freezing temperatures, 625.
NOLTE, P., *see* Rodriguez, D.
NUNES, C., D. de OLIVEIRA, Y. MAUFFETTE, and P. MARTEL. The impact of artificial defoliation on biomass allocation for *Solanum tuberosum* L., 568, (abst.).
NOVERO, A., *see* Knutson, K.W.
NOVY, R. and J.P. HELGESON. Somatic hybrids: adaptability vs. hehozygosity, 568, (abst.).
OCHOA, C.M. *Solanum serratoris*: a new wild Ecuadorian potato species, 381.
OJALA, J.C., J.C. STARK, and G.E. KLEINKOPF. Influence of irrigation and nitrogen management on potato yield and quality, 29.2.
ORR, P.H. and K.G. JANARDAN. A procedure to correlate color measuring systems using potato chip samples, 647.
ORTEGA, R., *see* Quiros, C.F.
ORTEGA, R., *see* Rabinowitz, D.
ORTIZ, R. and S.J. PELOQUIN. Identification of haploid-wild species hybrids with 2n eggs and good tuber type, 569, (abst.).
ORTIZ, R. and S.J. PELOQUIN. Production of 4x true potato seed from 2xX2x crosses, 569, (abst.).
OSMAN, S.F., *see* Sinden, S.L.
OTRYSKO, B.E., *see* Dion, P.
PALLAIS, N., N. ESPINOLA, and R. FALSON. True potato seed vigor at high temperature I. Effects of pre-sowing treatments and subsequent storage of recently-harvested seed, 569, (abst.).
PALLAIS, N. True potato seedling vigor at high temperature. II. Effects of seed age, pre-sowing treatment and subsequent storage of nondormant seed, 570, (abst.).
PALLAIS, N., N. FONG, R. GARCIA, and J. SANTOS-ROJAS. Factors affecting seedling vigor in potatoes: II. Genotype, dormancy, and pre-sowing treatments, 109.
PAPAVIZAS, G.C., *see* Kienath, A.P.
PARENT, J., *see* Audy, P.
PARENT, J.G. and R.M. DUCHESNE. Flowering tobacco: a new alternative host for the Colorado potato beetle, 570, (abst.).

PATTERSON, M.E., *see* Shetty, K.
PAVEK, J.J., *see* Corsini, D.L.
PAVEK, J.J., *see* Gawyonska, H.
PAVEK, J.J., *see* Love, S.L.
PAVLISTA, A.D. AC243,654 is a yield enhancer of Superior potatoes, 571, (abst.).
PEAVEY, S.R., *see* Cheng, H.
PELOQUIN, S.J., *see* Arndt, G.C.
PELOQUIN, S.J., *see* Amstadt, C.
PELOQUIN, S.J., *see* Ortiz, R.
PELOQUIN, S.J., *see* Yerk, G.L.
PERKINS, B., R. BUSHWAY, A. BUSHWAY, T. WORK, H. HURST, and L. VICKERY. Changes in the ascorbic acid content in potatoes from six cultivars from early tuber formation through long-term storage, 571, (abst.).
PERLAK, F., *see* Lawson, C.
PLAISTED, R.I., *see* Ganga, Z.N.
PLAISTED, R.L., D.E. HALSETH, B.B. BRODIE, S.A. SLACK, H.D. THURSTON, R. LORIA, J.B. SIECZKA, and G.A. PORTER. Allegany: a late-season golden nematode resistant variety, 227.
PLAISTED, R.L., D.E. HALSETH, B.B. BRODIE, H.D. THURSTON, S.A. SLACK, R. LORIA, E.D. JONES, and J.B. SIECZKA. Steuben: a golden nematode resistant variety with wide adaptation, 239.
PLATT, H.W., A.J. CAMPBELL, I. BIRT, and B. MacKINNON. Modification of a potato harvester for small plot field research, 799.
PLATT, H.W. and K.B. McRAE. Assessment of fixed responses of potato cultivars and breeder seedlings to potato late blight epidemics, 427.
PLATT, H.W., *see* Misener, G.C.
PONTBRIAND, P. and M. CAPPADOCIA. Callus induction and shoot regeneration in *Solanum tuberosum* (Kennebec), 572, (abst.).
PORTER, P., *see* Cipar, M.S.
PORTER, G.A., *see* Plaisted, R.L.
PORTER, G.A., *see* Reeves, A.F.
PORTER, G.A. and J.A. SISSON. Petiole nitrate content of Maine-grown Russet Burbank and Shepody potatoes in *response* to varying nitrogen management, 572, (abst.).
PRANGE, R.K., K.B. McRAE, D.J. MIDMORE, and R. DENG. Reduction in potato growth at high temperatures: Role of phytosynthesis and dark respiration, 357.
QURAISHI, A. Pre-basic seed potato production through tissue culture for the Northern areas of Pakistan, 573, (abst.).
QUIROS, C.F., M. HERRERA, P. CISNEROS, and R. ORTEGA. Co-seggregation of morphological tuber traits and isozymes in diploid potatoes, 573, (abst.).
QUIROS, C.F., *see* Rabinowitz, D.
RABINOWITZ, D., C.R. LINDER, R. ORTEGA, D. BEGAZO, H. MURGUIA, D.S. DOUCHES, and C.F. QUIROS. High levels of interspecific hybridization between *Solanum sparsipilum* and *S. stenotomum* in experimental plots in the Andes, 73.
RADCLIFFE, E.B., *see* Flanders, K.L.
RAGSDALE, D.W., *see* Flanders, K.L.
RAMAN, K.V. and J. ALCAZAR. Biological control of potato tuber moth (*Phthorimaea operculella*) using granulosis virus, 574, (abst.).
REES, ap. T. and S. MORRELL. Carbohydrate metabolism in developing potatoes, 835.
REEVES, A.F., R.V. AKELEY, H.J. MURPHY, G.A. PORTER, R.H. COLE, J. WATTS, B.J. CHRIST, F.E. MANZER, and R.H. TRUE. Somerset: a new chipping potato variety, 153.
REX, B.L. Effect of seedpiece population on the yield and processing quality of Russet Burbank potatoes, 473.

RHUE, R.D., *see* Locascio, S.J.
RICKEY, R., and W. BELKNAP. Comparison of the expression of injury responsive genes in tubers, 574, (abst.).
RICKEY, T.M., *see* Belknap, W.R.
ROCKHOLD, D.R., *see* Belknap, W.R.
RODRIGUEZ, D., G. SECOR, and P. NOLTE. Resistance of *Helminthosporium solani* isolates to benzimidazole fungicides, 574, (abst.).
ROGERS, R.N., *see* Hamerlynck, M.J.
RUEDA, J.L., *see* Arndt, G.C.
SANCHEZ, G.E., S.A. SLACK, and J.H. DODDS. Response of *Solanum tuberosum* subsp *andigena* and selected species *in vitro* antiviral therapy, 575, (abst.).
SAGER, J.C. *see* Wheeler, R.M.
SANFORD, L.L., K.L. DEAHL, S.L. SINDEN, and T.L. LADD, Jr. Foliar solanidine glycoside levels in *Solanum tuberosum* populations selected for potato leafhopper resistance, 461.
SANTOS-ROJAS, JR., *see* Pallais, N.
SAUCIER, B., *see* de Oliveira, D.
SCHMIEDICHE, P., *see* Watanabe, K.
SCHOLTE, K., *see* van Ittersum, M.K.
SEABROOK, J.E.A. Optimizing the propagation of potato (*Solanum tuberosum* L.) by stem cuttings, 267.
SEABROOK, J.E.A. and L.K. DOUGLASS. Embryo culture of potato (*Solanum tuberosum* L.).
SECOR, R., *see* Rodriguez, D.
SEQUEIRA, L., *see* McLaughlin, R.J.
SEWELL, G.H., R.H. STORCH, F.E. MANZER, and H.Y. FORSYTHE, Jr. The relationship between coccinellids and aphids in the spread of potato leafroll virus in a greenhouse.
SHETTY, K., R.B. DWELLE, J.K. FELLMAN, and M.E. PATTERSON. Blackspot injury of film wrapped potatoes in relation to bruising, water relations and respiratory gases, 576, (abst.).
SHETTY, K.K. and R.B. DWELLE. Disease and sproud control in individually film wrapped potatoes, 705.
SHOCK, C.C., *see* Eldredge, E.F.
SHOCK, C.C., *see* Stieber, T.D.
SHOCK, C.C., J.D. ZALEWSKI, T.D. STEIBER, and D.S. BURNETT. Influence of early season water deficits on Russet Burbank plant development, yield, grade and quality, 576, (abst.).
SHTIENBERG, D., and W.E. FRY. Quantitative analysis of host resistance, fungicide and weather effects on potato early and late blight using computer simulation models, 277.
SIECZKA, J.B. The effect of UC86177, an anti-transpirant, on potato phytotoxicity, tuber yield, size distribution and quality, 577, (abst.).
SIECZKA, J.B., *see* Moyer, D.D.
SIECZKA, J.B., *see* Plaisted, R.L.
SILVA, G., R.W. CHASE, and R.B. KITCHEN. Irrigation management and supplementary calcium in relation to specific gravity and internal defects of potatoes, 577, (abst.).
SILVA, G.H., *see* Chase, R.
SINDEN, S.L., W.W. CANTELO, K.L. DEAHL, S.F. OSMAN, and W.M. TINGEY. Glycoalkaloids and resistance to the Colorado potato beetle in *S. neocardenasii*, 577, (abst.).
SINDEN, S.L., *see* Deahl, K.L.
SINDEN, S.L., *see* SANFORD, L.L.
SINGSIT, C. and R.E. HANNEMAN, Jr. Isolation of viable inter-EBN among potato species using double pollination and embryo culture, 578, (abst.).
SINHA, N., J. CASH, and R. CHASE. Activities of PPI and ATP dependent phosphofructo kinases (PPK) in CIPC treated potatoes, 578, (abst.).

SINHA, N., J. CASH, and R. CHASE. Differences in sugars, chip color, specific gravity and yield of selected potato cultivars grown in Michigan, 579, (abst.).
SISSON, J.A., *see* Porter, G.A.
SLACK, S.S., *see* Melching, J.B.
SLACK, S.A., *see* Plaisted, R.L.
SLACK, S.A., *see* Sanchez, G.E.
SMITH, D.A., *see* Cheng, H.
SOLOMOS, T., *see* Abdul-Baki, A.
SORENSON, L.H., *see* Davis, J.R.
SOWOKINOS, J. Effect of stress and senescence on carbon partitioning in stored potatoes, 849.
SPOONER, DAVID. The Potatoes of Bolivia: Their breeding value and evolutionary relationship, 149, (book review).
SPOONER, D.M. Chile, 1989 potato collection expedition, 579, (abst.).
SPOONER, D.M., D.S. DOUCHES, and J. WERNER. Examinational of subspecific differentiation between *Solanum microdontum* with its two integrating subspecies, 580, (abst.).
SPOONER, D.M., *see* Hosaka, K.
SPOONER, D.M. and K.J. SYTSMA. Maternal phylogeny of South American potatoes, (*Solanum* sect *Petota*), 580, (abst.).
SQUIRE, S., *see* McKeown, A.W.
STARK, J.C., *see* Davis, J.R.
STARK, J.C., *see* Ojala, J.C.
STERRETT, S.B. Introduction-Proceedings of the symposium on potato crop management, 1.
STERRETT, S.B., G.S. LEE, and M.R. HENNINGER. Temperature, rain events, and size distribution influence internal heat necrosis, 580, (abst.).
STEVENSON, W.R., *see* Adams, S.S.
STIEBER, T.D., *see* Eldredge, E.P.
STIEBER, T.D., *see* Shock, C.C.
STIEBER, T.D., C.C. SHOCK, E.P. ELDREDGE, and L.B. JENSEN. Watermark soil moisture sensors to manage potato irrigations, 581, (abst.).
STORCH, R.H., *see* Sewell, G.H.
ST. PIERRE, B., A. CAMIRAND, C. BERTRAND, M. CAPPADOCIA, and N. BRISSON. Structure and expression of starch phosphorlase gene in potato, 581, (abst.).
STUSHNOFF, C., *see* Wahab, J.M.N.
SUHA, J-H. and P-M CHAREST. Restriction fragment length polymorphisms in the plant pathogen *Rhizoctonia solani* (KUHN), 582, (abst.).
SYTSMA, K.J., *see* Spooner, D.M.
SYLVESTRE, P.T., *see* Freve, A.
TAI, G.C.C., *see* Loiselle, F.
TAVANTZIS, S.M., *see* Bandy, B.P.
TAVANTZIS, S.M., *see* Lakshman, D.K.
THOMPSON, D., *see* Douches, D.S.
THOMPSON, D.M., *see* Jansky, S.H.
THORNTON, M.K. and R.B. DWELLE. Relationship between leaf gas exchange characteristics and productivity of potato clones grown at different temperatures, 582, (abst.).
THORNTON, R.E. and H. TIMM. Influence of fertilizer and irrigation management on tuber bruising, 45.
THORNTON, R.E., *see* Wallace, J.C.
THORNTON, R.F. Taste and texture evaluation of clones and cultivars for use by potato industry in the Pacific Northwest, 583, (abst.).
THURSTON, H.D., *see* Johanson, A.

THURSTON, H.D., *see* Plaisted, R.L.
TIMM, H., *see* Thornton, R.E.
TINGEY, W.M., *see* Sinden, S.L.
TOOLEY, P.W. Variation in resistance to *Phytophthora infestans* among 21 *Solanum verrucosum* plant introductions, 491.
TORRES, H. and J. ELPHINSTONE. Control of soilborne pathogens in the mid-elevation tropical jungles of Peru, 583, (abst.).
TRAN, T.S. and M. GIROUX. Efficiency of isN-labelled fertilizer on early harvested potatoes as affected by N rates and growth period, 584, (abst.).
TRAN, T.S., *see* Giroux, M.
TRUDEL, J., *see* Audy, P.
TRUE, R.H., *see* Reeves, A.F.
TUMER, N., *see* Lawson, C.
TURKENSTEEN, L., *see* Landeo, J.A.
TZENG, KUO-CHING, R.G. McGUIRE, and A.K. KELMAN. Resistance of tubers from different potato cultivars to soft rot caused by *Erwinia carotovora* subsp. *atroseptica*, 287.
UYEN, NGUYEN, *see* Van Minh, Tran.
VALENCIA, L. Changes in the sex ratio of *Phthorimaea operculella* (Zeller) induced by different densities of infestation on two potato cultivars, 584, (abst.).
van ITTERSUM, M.K., K. SCHOLTE, and L.J.P. KUPERS. A method to assess cultivar differences in rate of physiological aging of seed tubers, 603.
VAN MINH, TRAN, NGUYEN UYEN, VAN MINK, and P. VANDER ZAAG. Potato (*Solanum* spp.) production using opical cuttings and tuberlets under three contrasting environments of Vietnam, 779.
VAN MINH, TRAN, NGUYEN UTEN, and P. VANDER ZAAG. Rapid multiplication of potatoes: influence of environment and management of growth of juvenile apical cuttings, 789.
VANDER ZAAG, P., *see* Van Minh, Tran.
VANDER ZAAG, P., *see* Yu, Q.D.
VEILLEUX, R., *see* Bani-Aameur, F.
VEILLEUX, R.E., *see* Cheng, J.
VEILLEUX, R.E., *see* M'Ribu, H.K.
VERONNEAU, H. and M. CAPPADOCIA. Anther culture in two clones of *Solanum chacoense* (Bitt) and some of their reciprocal hybrids, 584, (abst.).
VICKERY, L., *see* Perkins, B.
VITOSH, M.L., *see* Joern, B.
WAHAB, J., M.N., C. STUSHNOFF, and D. WATERER. Effect of site of production on productivity of potato seed tubers, 585, (abst.).
WALLACE, J.C., and R.E. THORNTON. A piggy-back stray boom for chemigation research, 585, (abst.).
WALLACE, J.C. and R.E. THORNTON. Yield, grade, and petiole nitrate status of six potato clones for three nitrogation rates and two irrigation rates, 585, (abst.).
WANNAMAKER, M.J., *see* Collins, W.W.
WATANABE, K., C. ARBIZU, P. SCHMIEDICHE, and M.T. JACKSON. Germplasm enhancement methods for disomic tetraploid species of *Solanum* with special reference to *S. acaule*, 586, (abst.).
WATANABE, K., H. EL-NASAAR, and M. IWANAGA. Transmission of bacterial wilt resistance from diploids to tetraploid potatoes via 2n pollen, 586, (abst.).
WATERER, D., *see* Wahab, J.M.N.
WATTS, J., *see* Reeves, A.F.
WEINGARTNER, D.P. Biotic interactions affecting potato productions, 13.
WEINGARTNER, D.P. Reductions in yields and specific gravity of Atlantic potato tubers associated with early blight epidemics in Florida, 587, (abst.).

WEINGARTNER, D.P., *see* McLaughlin, R.J.
WEISS, J., *see* Lawson, C.
WERNER, J., *see* Spooner, D.M.
WESTERMAN, D.T., *see* Davis, J.R.
WHEELER, R.M., C.L. MACKOWIAK, J.C. SAGER, W.M. KNOTT, and C.R. HINKLE. Potato growth and yield using nutrient film technique (NFT), 177.
WILSON, D.R., *see* Haynes, K.G.
WISSAR, R., W. AMOROS, M. ATO, E. HAERNANDEZ, and H.A. MENDOZA. Breeding and genetic research on potato processing quality for tropical countries, 587, (abst.).
WORK, T., *see* Perkins, B.
YU, Q.D., Z. JIASUI, G. ZHANWAN, J. XINYA, F.M. FU, S. BOFU, and P. VANDER ZAAG. Evaluation of *neo-tuberosum* germplasm in Northern China, 573, (abst.).
XINYA, J., *see* Yu, Q.D.
YADA, R.Y., *see* McKeown, A.W.
YERK, G.L. and S.J. PELOQUIN. Performance of haploid x wild species, 2x hybrids (involving five newly evaluated species) in 4xX2x families, 405.
YOUNG, R., *see* Deahl, K.L.
ZALEWSKI, J.D., *see* Shock, C.C.
ZHANWAN, G., *see* Yu, Q.D.